

LINEAR THINKING The Cable Connectivity Concept. Four Lines. Multiple Applications.



LINEAR THINKING THE INTELLIGENT CABLE CHOICE

Cable Lines represent the concept of cable connectivity from Lindy. They consist of Black, Anthra, Cromo and Gold variants that meet the complex requirements of a wide variety of applications and markets from consumer use to professional AV and digital signage. Cable Lines are the ultimate expression of our technical excellence, design philosophy and, most importantly our passion, in creating industry leading high-performance cable solutions.



GOLD LINE NO COMPROMISE

Gold Line cables are designed and tested for use in the most demanding installation environments that require high performance signal distribution and incredible reliability. Gold Line has been developed for use in mission critical systems that depend on the most robust cable infrastructure. Distinctive gold plated, 360 degree full metal connectors provide added strength and striking visual design. Gold Line's capability for lossless signal transmission and incredible bandwidth over the longest distances makes for a no compromise cable solution.

OUR QUALITY COMMITMENT Performance: Mission-Critical — Our highest quality cable for transmitting the maximum amount of data over the longest distances — Specifically designed for use in the most demanding environments and mission critical systems — Perfect for government, medical and military applications — Warranty: 25 years

CABLE CONSTRUCTION Low attenuation 99.99% OFC cable construction —

Professional grade triple shielding to provide superior EMI & RF resistance —

Anthracite PVC protective jacket construction

CONNECTOR CONSTRUCTION 24K Gold plated connectors and contacts — Full metal housing — Ultra flexible heavy duty molded strain relief — Integrated finger grip

AVAILABLE CONNECTORS DisplayPort — HDMI — DVI

CROMO LINE DESIGN & PERFORMANCE

Cromo Line from Lindy represents an artistic vision turned into a technical reality. Perfect for use in prosumer, creative and commercial AV applications where high levels of performance and design are essential. Cromo Line benefits from unique chrome design ABS housing with gold plated contacts and connectors for a blend of performance and artistry that delivers stunning content through a stunning connection.

OUR QUALITY COMMITMENT Performance: Professional — High performance professional cable with a unique chrome visual design — Developed for public facing and design focused commercial and home applications — Perfect for prosumer, point of sale and digital signage applications — Warranty: 10 years

CABLE CONSTRUCTION High quality, corrosion resistant tinned copper cable construction — Professional grade double/triple shielding to provide superior EMI & RF resistance — Anthracite PVC protective jacket construction

CONNECTOR CONSTRUCTION 24k gold plated connectors and contacts — Chrome design ABS housing Ultra flexible heavy duty molded strain relief — Integrated finger grip

AVAILABLE CONNECTORS DisplayPort — HDMI — USB 3.2 — USB 2.0

LINEAR THINKING LINDY CABLE LINES CROMO LINE





Professional installations require premium cables. Anthra Line from Lindy is the premium connectivity solution designed and tested for commercial use and high-performance professional AV and IT installations. Finely tuned for installers, with unique high quality copper cable construction, Anthra Line cables have been proven in the most demanding industrial applications ensuring content and data is delivered reliably, no matter the environment.

OUR QUALITY COMMITMENT Performance: Professional — High performance professional cable for reliable signal transmission — Specifically designed for systems integrators, installers and other AV professionals — Perfect for use in commercial AV applications and digital signage — Warranty: 10 years CABLE CONSTRUCTION High quality tinned copper/copper cable construction — Professional grade double/triple shielding to provide superior EMI & RF resistance — Anthracite PVC protective jacket construction **CONNECTOR CONSTRUCTION** Gold plated connectors and contacts — Robust anthracite PVC housing — Ultra flexible heavy duty molded strain relief — Integrated finger grip AVAILABLE CONNECTORS DisplayPort — HDMI — DVI — USB4 — USB 3.2 ___ USB 2.0




BLACK LINE UNIVERSAL CONNECTIONS

AVAILABLE CONNECTORS DisplayPort — HDMI — DVI — USB 3.2

Connections are universal. Cables should be too. Black Line from Lindy is the fully featured, entry level cable solution ideal for home and small office applications. Black Line benefits from Lindy's advanced design and robust construction techniques to create a best in class, reliable cable solution for the demands of modern devices and peripherals.

OUR QUALITY COMMITMENT Performance: Premium — High quality cable that can deliver a variety of signals reliably — Developed for home and small office users — Perfect for connecting a wide array of home and office peripherals, including PCs and displays - Warranty: 10 years CABLE CONSTRUCTION High performance tinned copper cable construction — Professional grade triple shielding to provide superior EMI & RF resistance — Black PVC protective jacket construction CONNECTOR CONSTRUCTION Gold flash contacts with nickel plated connectors — Robust black PVC housing — Ultra flexible heavy duty molded strain relief — Integrated finger grip



LINEAR THINKING LINDY CABLE LINES FAMILY



Gold Line









Anthra Line



Black Line

RE-DESIGNED FROM THE COPPER UP



FORM FOLLOWS FUNCTION

Performance leads striking visual design with powerful, shielded copper cable encased by stylish connector hoods and robust cable jackets.



RAISING THE BAR

Manufacturing quality and cable construction has improved across all Lines to increase reliability and performance. Improvements in material science technology and shielding capabilities benefits all markets – from home users through to system integrators.



FOR ANYONE, ANYWHERE

Lines are a rationalized product family that allows customers to easily select the perfect cable for any application based on performance, design and price.



DESIGN WITH PURPOSE

New design features such as complementary cable jacket and strain relief colors allow for a consistent visual style across each Line. Redesigned connector hoods incorporate a new finger grip to allow for easy installation without sacrificing the connector design.




4 MAXIMUM SIGNAL STRENGTH
Large-gauge, high purity copper conductors
with double sided mylar bonded foil shields
and copper braiding.



LINEAR THINKING LINDY CABLE LINES DISPLAYPORT

DISPLAYPORT



up to 8K



up to 32.4Gbps



DisplayPort cables are perfect for transmitting high resolution video and audio from sources to displays. With support for resolutions up to 8K, they are some of the highest performance cables available today. An added benefit of DisplayPort technology is the ability to connect multiple displays to a single video output by 'daisy-chaining' the cables.

DISPLAYPORT LENGTH & PERFORMANCE CHART

	0.2M 0.67ft	0.3M 0.98ft	0.5M 1.64ft	1M 3.28ft	2M 6.56ft	3M 9.84ft	5M 16.40ft	7.5M 24.61ft	10M 32.81ft	15M 49.21ft	20M 65.62ft	25M 82.02ft
GOLD LINE					7680x	D 32.4Gbps (4320 60Hz (4:2:2 8bit)		4096	HD 21.6Gbps x2160 60Hz (4:4:4 10bit)	4096	D 10.8Gbps x2160 30Hz (4:4:4 8bit)	
CROMO LINE				7680×	D 32.4Gbps (4320 60Hz (4:2:2 8bit)	*4K UH 4096:	ID 21.6Gbps x2160 60Hz (4:4:4 10bit)					
ANTHRA LINE					(4.2.2 out)	*8K UH 7680:	ID 32.4Gbps x4320 60Hz					
BLACK LINE					4096x	D 21.6Gbps (2160 60Hz	(4:2:2 8bit)					
						4:4:4 10bit)						

*Maximum Resolution

POWER TO THE PICTURE



DISPLAYPORT 1.4Gold Line


No. 36290 - 36293

— full metal 24K gold plated housing — 24K gold plated connectors & contacts — low attenuation triple shielded cable — high performance OFC 24AWG conductors — low attenuation 99.99% OFC 24AWG conductors

Resolution 8K 7680x4320@60Hz 4:2:2 8bit incl. 4K 4096x2160@120Hz 4:4:4 8bit Length 0.5m - 3m

Usage demanding environments & mission critical systems

No. 36294 - 36298



DISPLAYPORT 1.2


Gold Line

— full metal 24K gold plated housing — 24K gold plated connectors & contacts — low attenuation triple shielded cable — high performance OFC 24AWG conductors — low attenuation 99.99% OFC 24AWG conductors

Resolution 4K 4096x2160@60Hz up to 10m 4K 4096x2160@30Hz, 15m to 20m **Length** 5m - 20m

Usage demanding environments & mission critical systems

No. 36300 - 36302



DISPLAYPORT 1.4

Cromo Line

chrome design ABS housing
 24K gold plated connectors & contacts
 triple shielded cable
 corrosion resistant
 tinned copper 28AWG conductors

Resolution 8K 7680x4320@60Hz 4:2:2 8bit incl. 4K 4096x2160@120Hz 4:4:4 8bit Length 0.5m - 2m Usage prosumer, creative & commercial

Usage prosumer, creative & commerce AV applications



DISPLAYPORT 1.2

Cromo Line

— chrome design ABS housing — 24K gold plated connectors & contacts triple shielded cable — corrosion resistant tinned copper 28AWG conductors

Resolution 4K 4096x2160@60Hz 4:4:4 10bit Length 3m - 5m Usage prosumer, creative & commercial AV applications

No. 36303 - 36304



DISPLAYPORT 1.4

Anthra Line

— robust ABS housing — 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant tinned copper 27AWG conductors

Resolution 8K 7680x4320@60Hz 4:2:2 8bit incl. 4K 4096x2160@120Hz 4:4:4 8bit Length 0.5m – 5m Usage commercial & high performance AV & IT installations



DISPLAYPORT 1.2

Black Line

robust PVC housing — nickel
 connectors — 24K gold plated contacts
 triple shielded cable — corrosion
 resistant pure performance copper 30AWG
 conductors


Resolution 4096x2160@60Hz 4:4:4 10bit **Length** 0.5m – 3m

Usage home & small office applications

No. 36480 - 36484

No. 36490 - 36493







DP 1.2 2006



up to 48Gbps




HDMI cables provide high-definition video and audio transmission with support for resolutions up to 10K. Ideal for future-proofing your entertainment setup, HDMI cables also feature advanced capabilities like Ethernet connectivity, audio return channel (ARC), and dynamic HDR. These versatile cables are perfect for ensuring a premium experience in any modern AV installation.

HDMI LENGTH & PERFORMANCE CHART

	0.2M 0.67ft	0.3M 0.98ft	0.5M 1.64ft	1M 3.28ft	2M 6.56ft	3M 9.84ft	5M 16.40ft	7.5M 24.61ft	10M 32.81ft	15M 49.21ft	20M 65.62ft	25M 82.02ft
GOLD LINE												
						10K UHD 48 240x4320 1 (4:2:0 1	20Hz 4096	JHD 18Gbps x2160 60Hz (4:4:4 8bit)			D 10.2Gbps x2160 60Hz (4:2:0 8bit)	
CROMO LINE							JHD 18Gbps x2160 60Hz (4:4:4 8bit)	4096x	D 10.2Gbps (2160 60Hz (4:2:0 8bit)			
ANTHRA LINE					*4K UHD 18G		JHD 18Gbps x2160 60Hz				D 10.2Gbps x2160 60Hz	
BLACK LINE					(4:2:0 12		(4:4:4 8bit)		1 1 1 1 1 1 1		(4:2:0 8bit)	
				4096x	HD 18Gbps 2160 60Hz (4:4:4 8bit)	7680	JHD 48Gbps x4320 60Hz 4:4:4 10bit)		4096x	D 10.2Gbps (2160 30Hz (4:4:4 8bit)		

*Maximum Resolution

HIGH DEFINITION MADE INCREDIBLE



ULTRA HIGH SPEED HDMI Gold Line

— full metal 24K gold plated housing — 24K gold plated connectors & contacts low attenuation triple shielded cable corrosion resistant low attenuation 99.99% OFC 24/30AWG conductors

Resolution 10240x4320@120Hz 4:2:0 12bit Length 1m - 5m

Usage demanding environments & mission critical systems

No. 37601 - 37604



HIGH SPEED HDMI

Gold Line

— full metal 24K gold plated housing — 24K gold plated connectors & contacts low attenuation triple shielded cable corrosion resistant low attenuation 99.99% OFC 24AWG conductors

Resolution 4096x2160@60Hz 4:4:4 8bit **Length** 0.5m - 7.5m Usage demanding environments & mission critical systems

No. 37860 - 37865



STANDARD HDMI

Gold Line

— full metal 24K gold plated housing — 24K gold plated connectors & contacts low attenuation triple shielded cable corrosion resistant low attenuation 99.99% OFC 24AWG conductors

Resolution 4096x2160@60Hz 4:2:0 8bit Length 10m - 20m Usage demanding environments & mission critical systems

No. 37866 - 37868



HIGH SPEED HDMI

Cromo Line

--- chrome design ABS housing ----24K gold plated connectors & contacts — triple shielded cable — corrosion resistant tinned copper 30AWG conductors

Resolution 4096x2160@60Hz 4:4:4 8bit **Length** 0.3m - 5m Usage prosumer, creative & commercial AV applications



STANDARD HDMI

Cromo Line

— chrome design ABS housing — 24K gold plated connectors & contacts triple shielded cable — corrosion resistant tinned copper 24/26AWG conductors

Resolution 4096x2160@60Hz 4:2:0 8bit **Length** 7.5m - 10m Usage prosumer, creative & commercial AV applications



ULTRA HIGH SPEED HDMI

Anthra Line

No. 36951 - 36954

— robust PVC housing — 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant tinned copper 30AWG conductors

Resolution 10240x4320@120Hz 4:2:0 12bit **Length** 0.5m - 3m Usage commercial & high performance AV & IT installations



HIGH SPEED HDMI

Anthra Line

— robust PVC housing — 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant tinned copper 30AWG conductors

Resolution 4096x2160@60Hz 4:4:4 8Bit **Length** 0.3m - 5m Usage commercial & high performance AV & IT installations



STANDARD HDMI

Anthra Line

— robust PVC housing — 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant tinned copper 24AWG conductors

Resolution 4096x2160@60Hz 4:2:0 8bit **Length** 7.5m - 20m Usage commercial & high performance AV & IT installations

No. 36960 - 36965 No. 36966 - 36969

No. 37869 - 37874

No. 37875 - 37876

HIGH DEFINITION MADE INCREDIBLE



8K60HZ HDMI Black Line

— robust PVC housing nickel connectors — 24K gold plated contacts — triple shielded cable copper coated steel 28/30AWG conductors

Resolution 7680x4320@60Hz 4:4:4,10bit **Length** 0.5m - 5m Usage home & small office applications



HIGH SPEED HDMI Black Line

— robust PVC housing nickel connectors — 24K gold plated contacts — triple shielded cable copper coated steel 30AWG conductors

Resolution 4096x2160@60Hz 4:4:4 8bit **Length** 0.5m - 5m Usage home & small office applications



STANDARD HDMI Black Line

No. 36467 - 36469

— robust PVC housing nickel connectors — 24K gold plated contacts — triple shielded cable copper coated steel 28AWG conductors

Resolution 4096x2160@30Hz 4:4:4 8bit **Length** 7.5m - 15m Usage home & small office applications



HDMI TO DVI-D

Gold Line

— full metal 24K gold plated housing — 24K gold plated connectors & contacts low attenuation triple shielded cable corrosion resistant low attenuation 99.99% OFC 24AWG conductors

Resolution 1920x1200@60Hz & HDTV resolutions up to 1080p **Length** 0.5m - 15m Usage demanding environments & mission critical systems

No. 36193 - 36199



HDMI TO DVI

Black Line

— robust PVC housing — nickel connectors — 24K gold plated contacts — triple shielded cable — corrosion resistant tinned copper 24/30AWG conductors

Resolution 1920x1200@60Hz & HDTV resolutions up to 1080p **Length** 0.5m - 10m Usage home & small office applications

No. 36270 - 36275



MINI HDMI TO DVI Black Line

- robust PVC housing nickel connectors — 24K gold plated contacts — triple shielded cable copper coated steel 32AWG conductors

Resolution 1920x1200@60Hz & HDTV resolutions up to 1080p **Length** 0.5m - 3m Usage home & small office applications



MICRO HDMI TO DVI

Black Line

— robust PVC housing — nickel connectors — 24K gold plated contacts — triple shielded cable — corrosion resistant tinned copper 32AWG conductors

Resolution 1920x1200@60Hz & HDTV resolutions up to 1080p **Length** 0.5m - 3m Usage home & small office applications

No. 36280 - 36283

No. 36285 - 36288

No. 36770 - 36774

No. 36470 - 36474

DVI



41

Frame rates



Dual Link 9.9Gbps

Single Link 4.95Gbps

Bandwidth Bandwidth

DVI is a digital video interface that supports both digital and analogue signals to provide video content from graphics cards to displays. The cables are capable of taking the analogue data of a graphics card and converting it mid-transmission to a digital signal that can be received by modern display technologies.

DVI LENGTH & PERFORMANCE CHART


	0.2M 0.67ft	0.3M 0.98ft	0.5M 1.64ft	1M 3.28ft	2M 6.56ft	3M 9.84ft	5M 16.40ft	7.5M 24.61ft	10M 32.81ft	15M 49.21ft	20M 65.62ft	25M 82.02ft
GOLD LINE DUAL LINK										*2560>	(1600 60Hz	
GOLD LINE SINGLE LINK										*1920x	1200 60Hz	
ANTHRA LINE DUAL LINK									: :	*2560x	(1600 60Hz	
ANTHRA LINE SINGLE LINK											*1920x	1200 60Hz
BLACK LINE DUAL LINK						*2E60v	1600 60Hz					
BLACK LINE SINGLE LINK						256UX	IBUU BUHZ					
								*1920x	1200 60Hz			

LINEAR THINKING LINDY CABLE LINES DVI

29

*Maximum Resolution

LEGACY DEFINED BY INNOVATION



DVI-D DUAL LINK Gold Line

No. 36200 - 36209

— full metal 24K gold plated housing — 24K gold plated connectors & contacts low attenuation triple shielded cable corrosion resistant 99.99% OFC 24/28AWG conductors

Resolution 2560x1600@60Hz & HDTV resolutions up to 1080p **Length** 0.5m - 20m Usage demanding environments & mission critical systems



DVI-D SINGLE LINK

No. 36215 - 36218

Gold Line

— full metal 24K gold plated housing — 24K gold plated connectors & contacts low attenuation triple shielded cable corrosion resistant 99.99% OFC 24/28AWG conductors

Resolution 1920x1200@60Hz & HDTV resolutions up to 1080p Length 10m - 20m Usage demanding environments & mission critical systems



DVI-I SINGLE LINK

Black Line

— robust PVC housing — nickel connectors — 24K gold plated contacts — triple shielded cable — corrosion resistant copper 30AWG conductors

Resolution 1920x1200@60Hz & HDTV resolutions up to 1080p Length 1m - 5m Usage home & small office applications, supports analogue & digital signals



DVI-D DUAL LINK

Anthra Line

— robust PVC housing — 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant bare copper 24/28AWG conductors

Resolution 2560x1600@60Hz & HDTV resolutions up to 1080p **Length** 0.5m - 20m Usage commercial & high performance AV & IT installations



DVI-D SINGLE LINK

Anthra Line

— robust PVC housing — 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant bare copper 24AWG conductors

Resolution 1920x1200@60Hz & HDTV resolutions up to 1080p **Length** 10m - 25m Usage commercial & high performance AV & IT installations

No. 36220 - 36228



DVI-D DUAL LINK

Black Line

--- robust PVC housing --- nickel connectors — 24K gold plated contacts — triple shielded cable — corrosion resistant tinned copper 28AWG conductors

Resolution 2560x1600@60Hz & HDTV resolutions up to 1080p **Length** 0.5m - 5m Usage home & small office applications, supports digital signals

No. 36240 - 36243



DVI-D SINGLE LINK

Black Line

- robust PVC housing - nickel connectors — 24K gold plated contacts — triple shielded cable — corrosion resistant tinned copper 24/28AWG conductors

Resolution 1920x1200@60Hz & HDTV resolutions up to 1080p Length 1m - 10m Usage home & small office applications, supports digital signals

No. 36260 - 36263 No. 36250 - 36254 No. 36255 - 36259

USB TYPE C

UP T0 USB 3.2

28

15W - 240W

Carried power



up to 20Gbps

Bandwidth |

USB-C cables offer fast data transfer, charging, and high-definition video output, making them a versatile choice for modern devices. With support for DisplayPort Alternate Mode, USB-C cables can deliver up to 8K resolution, ideal for connecting laptops and displays. Additionally, USB-C cables with Thunderbolt 3 or 4 capabilities provide even higher performance, supporting dual 4K displays or a single 8K display, along with ultra-fast data transfer and power delivery, making them a powerful all-in-one solution.

USB TYPE C LENGTH & PERFORMANCE CHART

	0.2M 0.67ft	0.3M 0.98ft	0.5M 1.64ft	1M 3.28ft	1.5M 4.92ft	2M 6.56ft	3M 9.84ft	5M 16.40ft	7.5M 24.61ft	10M 32.81ft	15M 49.21ft	20M 65.62ft
GOLD LINE												
CROMO LINE												
ANTHRA LINE				*USB 3.	2-20Gbps	*USB 2.0-	480Mbps					
BLACK LINE				*USB 3.	2-10Gbps							

*Maximum Bandwidth

ONE. TWO. THREE.2



USB 2.0 TYPE C TO A Anthra Line

— robust PVC housing gold plated connectors & contacts —

double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.5m - 3m

Usage commercial & high performance AV & IT installations

No. 36885 - 36888



USB 2.0 TYPE C TO MICRO-B

Anthra Line

— robust PVC housing gold plated connectors & contacts --double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.5m - 2m

Usage commercial & high performance AV & IT installations

No. 36890 - 36892



USB 3.2 TYPE C TO C, 5A

Anthra Line

- robust PVC housing - 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant tinned copper conductors

Bandwidth 20Gbps **Length** 0.5m - 2m

Usage commercial & high performance AV & IT installations

No. 36900 - 36903



USB 3.2 TYPE C TO FEMALE A

Anthra Line

— robust PVC housing — 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant tinned copper conductors

Bandwidth 10Gbps Length 0.15m Usage commercial & high performance AV & IT installations

No. 36895



USB 2.0 TYPE C TO FEMALE A

Anthra Line

— robust PVC housing gold plated connectors & contacts --double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 480Mbps Length 0.15m

Usage commercial & high performance AV & IT installations

No. 36897



USB 2.0 TYPE C TO C

Anthra Line

— robust PVC housing gold plated connectors & contacts --double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 480Mbps Length 0.5m - 3m Usage commercial & high performance AV & IT installations

No. 36870 - 36873



USB 3.2 TYPE C TO A, 5A

Anthra Line

- robust PVC housing - 24K gold plated connectors & contacts — triple shielded cable — corrosion resistant tinned copper conductors

Bandwidth 10Gbps **Length** 0.5m - 3m Usage commercial & high performance AV & IT installations

No. 36910 - 36913, 36919



USB 3.2 TYPE C TO C Black Line

No. 36905 - 36907

- robust PVC housing - nickel connectors — 24K gold plated contacts — triple shielded cable — corrosion resistant tinned copper conductors

Bandwidth 10Gbps **Length** 0.5m - 1.5m Usage home & small office applications



USB 3.2 TYPE C TO A

Black Line

— robust PVC housing — nickel connectors — 24K gold plated contacts — triple shielded cable — corrosion resistant tinned copper conductors

Bandwidth 10Gbps **Length** 0.5m - 1.5m

Usage home & small office applications

No. 36915 - 36917

LINEAR THINKING CABLE LINE RANGE

USB4







240W

Carried power



40Gbps



USB4 cables represent the cutting edge of connectivity, combining ultra-fast data transfer, high-resolution video output, and power delivery into a single versatile solution.

With support for speeds up to 40 Gbps and compatibility with DisplayPort 2.0, USB4 cables can drive up to 8K displays or multiple 4K monitors with ease. They also offer full backward compatibility with USB-C, Thunderbolt 3, and USB 3.2 devices, making USB4 the ideal choice for future-proofing your setup while maintaining seamless integration with existing technology.

USB4 LENGTH & PERFORMANCE CHART

	0.2M 0.67ft	0.3M 0.98ft	0.8M 2.62ft	1M 3.28ft	1.5M 4.92ft	2M 6.56ft	3M 9.84ft	5M 16.40ft	7.5M 24.61ft	10M 32.81ft	15M 49.21ft	20M 65.62ft
GOLD LINE												
CROMO LINE												
ANTHRA LINE						*40Gbps						
BLACK LINE												

*Maximum Bandwidth

LINEAR THINKING LINDY CABLE LINES

BEST PERFORMANCE



USB4 240W TYPE C Anthra Line

— robust TPE Housing — gold plated connectors & contacts — double shielded cable — corrosion resistant nickel conductors

Bandwidth 40Gbps **Length** 0.8m - 2m Usage commercial & high performance AV & IT installations

No. 36956 - 36958



USB4 240W TYPE C

Black Line

— robust PVC Housing — gold plated connectors & contacts — double shielded cable — corrosion resistant nickel conductors

Bandwidth 40Gbps Length 0.5 - 2m
Usage home & small office applications

No. 37000 - 2









USB 3.2 cables deliver high-speed data transfer and power delivery, making them ideal for connecting a wide range of devices. With support for data rates up to 20 Gbps, USB 3.2 ensures quick file transfers, smooth video streaming, and efficient charging. These cables are backward compatible with previous USB standards, allowing for seamless integration with your existing devices. Whether for data transfer, charging, or connecting peripherals, USB 3.2 cables provide a reliable and versatile solution for modern connectivity needs.

USB 3.2 LENGTH & PERFORMANCE CHART

	0.2M 0.67ft	0.3M 0.98ft	0.5M 1.64ft	1M 3.28ft	1.5M 4.92ft	2M 6.56ft	3M 9.84ft	5M 16.40ft	7.5M 24.61ft	10M 32.81ft	15M 49.21ft	20M 65.62ft
GOLD LINE												
CROMO LINE								*5Gbps				
ANTHRA LINE								*5Gbps				
BLACK LINE												

LINEAR THINKING LINDY CABLE LINES USB 3.2

41

*Maximum Bandwidth

A GLOBAL STANDARD



USB 3.2 TYPE A TO B Cromo Line

— chrome design ABS housing — 24K gold plated connectors & contacts triple shielded cable — corrosion resistant tinned copper conductors

Bandwidth 5Gbps Length 0.5m - 5m Usage prosumer, creative & commercial AV applications

No. 36660 - 36664



USB 3.2 TYPE A TO MICRO-B

Cromo Line

— chrome design ABS housing — 24K gold plated connectors & contacts triple shielded cable — corrosion resistant tinned copper conductors

Bandwidth 5Gbps Length 0.5m - 3m Usage prosumer, creative & commercial AV applications

No. 36656 - 36659



USB 3.2 TYPE A TO A

Cromo Line

— chrome design ABS housing — 24K gold plated connectors & contacts triple shielded cable — corrosion resistant tinned copper conductors

Bandwidth 5Gbps Length 0.5m - 5m Usage prosumer, creative & commercial AV applications

No. 36625 - 36629



USB 3.2 TYPE A TO B

Anthra Line

— robust PVC housing — gold plated connectors & contacts — double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 5Gbps **Length** 0.5m - 5m Usage commercial & high performance AV & IT installations

No. 36740 - 36744



USB 3.2 TYPE A EXTENSION

Anthra Line

robust PVC housing — gold plated connectors & contacts — double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 5Gbps Length 0.5m - 3m Usage commercial & high performance AV & IT installations

No. 36760 - 36763



USB 3.2 TYPE A TO MICRO-B

Anthra Line

— robust PVC housing — gold plated connectors & contacts — double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 5Gbps **Length** 0.5m - 3m Usage commercial & high performance AV & IT installations

No. 36765 - 36768



USB 3.2 TYPE A TO A

Anthra Line

— robust PVC housing — gold plated connectors & contacts — double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 5Gbps **Length** 0.5m - 5m Usage commercial & high performance AV & IT installations

No. 36750 - 36754

LINEAR THINKING LINDY CABLE LINES USB 2.0

USB 2.0

49

15 W

Carried power

2000



480Mbps

Bandwidth

USB 2.0 cables are a reliable and widely-used standard for connecting and powering a variety of devices. With data transfer speeds up to 480 Mbps, they are perfect for tasks like syncing devices, connecting peripherals, and charging. USB 2.0 cables offer broad compatibility with countless devices, making them a dependable choice for everyday connectivity needs. Despite being an older standard, USB 2.0 remains a trusted and versatile solution in many applications.

USB 2.0 LENGTH & PERFORMANCE CHART

	0.2M 0.67ft	0.3M 0.98ft	0.5M 1.64ft	1M 3.28ft	1.5M 4.92ft	2M 6.56ft	3M 9.84ft	5M 16.40ft	7.5M 24.61ft	10M 32.81ft	15M 49.21ft	20M 65.62ft
GOLD LINE												
CROMO LINE									*480Mbps			
ANTHRA LINE	_								•	480Mbps		
BLACK LINE												

*Maximum Bandwidt

LINEAR THINKING LINDY CABLE LINES

BACK TO BASICS



USB 2.0 TYPE A TO B Cromo Line

— chrome design ABS housing —

24K gold plated connectors & contacts — double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.5m - 7.5m Usage prosumer, creative & commercial AV applications

No. 36640 - 36645



USB 2.0 TYPE A TO MINI-B

Cromo Line

— chrome design ABS housing — 24K gold plated connectors & contacts

— double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.5m - 7.5m

Usage prosumer, creative & commercial AV applications

No. 36630 - 36635



USB 2.0 TYPE A TO MICRO-B

Cromo Line

- chrome design ABS housing -24K gold plated connectors & contacts — double shielded cable — corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.5m - 5m

Usage prosumer, creative & commercial AV applications

No. 36650 - 36654



USB 2.0 TYPE A TO B

Anthra Line

— robust PVC housing — gold plated contacts — double shielded cable corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.2m - 10m Usage commercial & high performance AV & IT installations

No. 36670 - 36677



USB 2.0 TYPE A TO MINI-B

Anthra Line

— robust PVC housing — gold plated contacts — double shielded cable corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.2m - 5m Usage commercial & high performance AV & IT installations

No. 36720 - 36725



USB 2.0 TYPE A TO MICRO-B

Anthra Line

— robust PVC housing — gold plated contacts — double shielded cable corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.2m - 5m Usage commercial & high performance AV & IT installations

No. 36730 - 36735



USB 2.0 TYPE A EXTENSION

Anthra Line

— robust PVC housing — gold plated contacts — double shielded cable corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.2m - 5m Usage commercial & high performance AV & IT installations

No. 36700 - 36705



USB 2.0 TYPE A TO A

Anthra Line

— robust PVC housing — gold plated contacts — double shielded cable corrosion resistant tinned copper conductors

Bandwidth 480Mbps **Length** 0.2m - 5m Usage commercial & high performance AV & IT installations

No. 36690 - 36695



