

# FOCUSED LEARNING

SHAPING TECH-DRIVEN EDUCATION WITH LINDY SOLUTIONS





## INTRODUCING LINDY

### Who We Are

Founded in 1932, Lindy is a global leader in providing superior IT and AV connection technologies. With a rich history and a deep-rooted commitment to innovation, we consistently deliver high-quality, durable, and cutting-edge products and solutions to meet the evolving needs of our customers.

### Why Choose Lindy as Your Education Partner

Lindy delivers dependable, high-performance tech solutions tailored for education. Our products, from advanced audio-video systems for lecture halls to robust connectivity for computer labs, seamlessly integrate into learning environments, supporting institutions in creating innovative and accessible educational spaces.



## LINDY MAKES THE GRADE: QUALITY, SUPPORT, SPEED, INTEGRITY



### Quality & Reliability

**Extended Warranties:** Up to 25-year warranties, reflecting our confidence in product durability.

**Award-Winning Products:** Recognised for outstanding performance and innovation.



### Reputation

**A Trusted Industry Leader:** With a global presence, our reputation speaks for itself. We are your reliable partner in the ever-evolving educational technology landscape.



### Technical Support

**Comprehensive Assistance:** Free pre- and post-sales support from our team of experts, available via phone & email.



### Compliance

**Commitment to Sustainability and Ethics:** We adhere to stringent international environmental and social standards, including RoHS, REACH, and anti-slavery measures, aligning with the values of educational institutions that prioritise sustainability and ethical practices.

**ANTHRA LINE  
HDMI® CABLE**
**4K**

- Professional choice HDMI® cable for commercial, educational and high performance AV and IT installations
- Supports UHD 4K resolutions up to 4K60



|      |           |
|------|-----------|
| 0.3m | No. 36960 |
| 0.5m | No. 36961 |
| 1m   | No. 36962 |
| 2m   | No. 36963 |
| 3m   | No. 36964 |
| 5m   | No. 36965 |
| 7.5m | No. 36966 |
| 10m  | No. 36967 |
| 15m  | No. 36968 |
| 20m  | No. 36969 |

**BLACK LINE  
8K60HZ HDMI® CABLE**
**8K**

- Supports ultra-high resolution (UHD) up to 8K60Hz and 4K120Hz, with a 48 Gbps data rate
- Built for signal integrity and durability



|      |           |
|------|-----------|
| 0.5m | No. 36770 |
| 1m   | No. 36771 |
| 2m   | No. 36772 |
| 3m   | No. 36773 |
| 5m   | No. 36774 |
| 7.5m | No. 37255 |
| 10m  | No. 37256 |

**ACTIVE HDMI®  
4K60 CABLE**
**4K**

- Creates a long distance HDMI® connection between a 4K source device and display
- Delivers reliable 4K60 resolutions over longer cable distances
- Active HDMI® technology built into the connector for extended distances



|      |           |
|------|-----------|
| 7.5m | No. 41016 |
| 10m  | No. 41071 |
| 15m  | No. 41072 |
| 20m  | No. 41073 |
| 25m  | No. 41074 |
| 30m  | No. 41075 |

**4K60Hz HDMI®  
FLEXIBLE CABLE**
**4K**

- Flexible HDMI® cable using a soft PVC Jacket
- Supports UHD resolutions up to 4K60
- Triple shielded cable, 28AWG Copper



|      |           |
|------|-----------|
| 0.5m | No. 37315 |
| 1m   | No. 37316 |
| 2m   | No. 37317 |
| 3m   | No. 37318 |
| 5m   | No. 37319 |

**HIGH SPEED HDMI®  
GRS CABLE**
**4K**

- Made using up to 50% recycled copper and recycled TPE materials to meet the Global Recycled Standard [GRS]
- Supports UHD Resolutions up to 4K60
- Triple shielded cable, 30AWG Copper



|    |           |
|----|-----------|
| 1m | No. 37410 |
| 2m | No. 37411 |
| 3m | No. 37412 |
| 5m | No. 37413 |

**4K60Hz HDMI®  
LSZH CABLE**
**4K**

- Minimises toxic emissions with LSZH (Low Smoke Zero Halogen) jacket
- Supports UHD resolutions up to 4K60
- Double shielded cable, 30AWG Copper



|      |           |
|------|-----------|
| 0.5m | No. 36501 |
| 1m   | No. 36502 |
| 2m   | No. 36503 |
| 3m   | No. 36504 |
| 5m   | No. 36505 |
| 7.5m | No. 36506 |
| 10m  | No. 36507 |

**USB 3.2 TYPE C TO C CABLE,  
20GBPS, BLACK LINE**

4K



- Basic USB 3.2 Gen 2x2 Type C to C, 3A (60W), cable for educational and small office applications
- Supports data transfer speeds up to 20Gbps and DisplayPort™ Alternate Mode
- Robust PVC housing, nickel connectors, gold plated contacts

|      |           |
|------|-----------|
| 0.5m | No. 36905 |
| 1m   | No. 36906 |
| 1.5m | No. 36907 |

**USB 3.2 GEN 2 C/C ACTIVE CABLE**

8K



- USB 3.2 Gen 2 Active Cable for data and video extension
- Data transfer rates up to 10Gbps
- Supports DisplayPort™ 1.4 Alternate Mode and video resolutions up to UHD 8K60 including 4K120

|    |           |
|----|-----------|
| 3m | No. 43348 |
| 5m | No. 43308 |
| 8m | No. 43411 |

**USB 3.2 GEN 2 &  
DP 1.4 TYPE C HYBRID CABLE**

4K



- USB 3.2 Gen 2 & DP 1.4 Type C Hybrid Cable for data and video extension
- Data transfer rates up to 10Gbps
- Supports DisplayPort™ Alternate Mode and DP 1.4 (4 lanes) with video resolutions up to 4K144

|     |           |
|-----|-----------|
| 10m | No. 43398 |
| 15m | No. 43399 |

**USB 3.2 GEN 1 &  
DP 1.4 TYPE C HYBRID CABLE**

4K



- USB 3.2 Gen 1 & DP 1.4 Type C Hybrid Cable for data and video extension
- Data transfer rates up to 5Gbps
- Supports DisplayPort™ Alternate Mode and DP 1.4 (2 lanes) with video resolutions up to 4K30

|     |           |
|-----|-----------|
| 10m | No. 43333 |
| 8m  | No. 43393 |

**USB TYPE C TO HDMI® 4K60  
ADAPTER CABLE WITH HDR**

4K



- Connects a 4K HDMI® display to your computer's USB Type C port
- Supports HDMI® resolutions up to 4K60
- High Dynamic Range support provides deeper blacks, brighter whites and a wider colour gamut

|    |           |
|----|-----------|
| 1m | No. 43291 |
| 2m | No. 43292 |
| 3m | No. 43293 |

**FIBRE OPTIC HYBRID DP 2.0  
UHBR10 CABLE**

8K



- Combines copper and fibre optic cable for a hybrid, long distance DisplayPort™ connectivity solution
- Supports resolutions up to 4K144 and 8K60
- DP 2.0 standard with UHBR10 support, 40Gbps bandwidth (4 lanes, 10Gbps per channel)

|     |           |
|-----|-----------|
| 10m | No. 38520 |
| 15m | No. 38521 |
| 20m | No. 38522 |
| 30m | No. 38523 |
| 40m | No. 38524 |
| 50m | No. 38525 |

**5m USB 2.0 SLIM  
ACTIVE EXTENSION**


- Chain up to 5 cables for a 25m reach
- Slim design eliminating the need for bulky plugs

**480Mbps**

No. 42817

**20m USB 2.0  
ACTIVE EXTENSION**


- Chain 2 cables for a 40m reach

**480Mbps**

No. 42631

**10m USB 2.0 ACTIVE  
EXTENSION 4 PORT HUB**


- Built-in hub extends 4 USB 2.0 devices
- Chain 2 in series for a 20m reach
- USB 2.0 Type A Male to 4x Type A Female

**480Mbps**

No. 42635

**10m-15m USB 3.0  
ACTIVE EXTENSION**


- 10m and 15m versions
- Chain 2 of the same cables together (to reach 10m, 20m or 30m)
- 10m and 15m versions support an AC adapter (not included) for use with high power devices

**5Gbps**

|     |           |
|-----|-----------|
| 10m | No. 43156 |
| 15m | No. 43099 |

**15m USB 3.0 ACTIVE  
EXTENSION SLIM**


- 15 m USB 3.0 Active Extension Repeater Lead
- Supports transfer rates up to 5Gbps
- For even greater distances simply connect 2 cables in series

**5Gbps**

No. 43322

**3m-15m USB 3.0  
ACTIVE EXTENSION SLIM**



- Supports transfer rates up to 5Gbps
- For even greater distances simply connect up to 5 cables in series
- Slim design eliminating the need for bulky plugs

**5Gbps**

|     |           |
|-----|-----------|
| 3m  | No. 43400 |
| 5m  | No. 43401 |
| 8m  | No. 43402 |
| 10m | No. 43403 |
| 15m | No. 43404 |

**5m USB 3.2 GEN 1 C/C  
ACTIVE EXTENSION**

**5m USB 3.2 GEN 2 C/C  
ACTIVE EXTENSION**

**3m-8m USB 3.2 GEN 2 C/C  
ACTIVE EXTENSION (DATA + VIDEO)**

**5m USB 3.2 10GBPS C/C  
ACTIVE EXTENSION PRO**


# PROTECTIVE SLEEVES FOR WORRY FREE TRANSIT

Introducing our Armoured Fibre Optic Hybrid HDMI® 8K60 Cables—designed for stunning 8K resolution at 60Hz, reinforced with aramid fibres and an armoured jacket for superior flexibility, durability, and protection against EMI & RFI interference.

|      |           |
|------|-----------|
| 10m  | No. 38527 |
| 15m  | No. 38528 |
| 20m  | No. 38529 |
| 30m  | No. 38530 |
| 50m  | No. 38531 |
| 70m  | No. 38532 |
| 100m | No. 38533 |

Protective sleeve



## NEED TO EXTEND MULTIPLE USB DEVICES?



Use the 4-Port Hub Extensions to extend reach to multiple USB devices. 8m and 12m USB 2.0, and 10m USB 3.0 versions are available.

## USB 2.0 A TO A ACTIVE EXTENSION SYSTEM PRO



- Provides an extended connection between a computer and USB 2.0 device
- Can be used standalone or daisy-chained to create bespoke extension systems of up to 60m
- USB A Male to A Female

**480Mbps**

|                     |           |
|---------------------|-----------|
| 8m                  | No. 42780 |
| 12m                 | No. 42782 |
| 30m                 | No. 42923 |
| 8m with 4 Port Hub  | No. 42781 |
| 12m with 4 Port Hub | No. 42783 |

## USB 3.0 A TO A ACTIVE EXTENSION SYSTEM PRO



- Provides an extended connection between a computer and USB 3.0 device
- Can be used standalone or daisy-chained to create bespoke extension systems of up to 40m
- USB A Male to A Female

**5Gbps**

|                     |           |
|---------------------|-----------|
| 8m                  | No. 43158 |
| 10m                 | No. 43157 |
| 15m                 | No. 43229 |
| 20m                 | No. 43361 |
| 30m                 | No. 43362 |
| 10m with 4 Port Hub | No. 43159 |

## USB 3.2 GEN 1 C TO A ACTIVE EXTENSION SYSTEM PRO



- Provides an extended connection between a USB Type C equipped computer and a USB Type A device
- Can be used standalone or as part of the Lindy Active Extension System Pro to create bespoke extension systems of up to 40m
- USB C Male to A Female

**5Gbps**

|    |           |
|----|-----------|
| 5m | No. 43380 |
| 8m | No. 43381 |

## USB 3.2 GEN 1 A TO C ACTIVE EXTENSION



- Use as a single extension or is compatible with the USB 3.0 Extension System Pro when used as the last segment in a daisy chain
- USB A Male to C Female

**5Gbps**

|     |           |
|-----|-----------|
| 10m | No. 43376 |
|-----|-----------|

# POWERING EDUCATION

## 10 DEVICES AT A TIME

### 10 PORT CHARGING STATION

Meet the educator's dream – Lindy's state-of-the-art 10 Port USB Charging Station. Charge up to 10 devices, from tablets to mobile phones, all at once, ensuring no device is left behind. With up to 2.4A charging per port, even the most power-hungry devices will fuel up quickly and efficiently.

- Simultaneous charging of up to 10 critical security devices
- Max. 2.4A charging per port, simultaneous use of all 10 ports allows max. 1.8A charging per port
- Smart charging function adjusts the current for optimum, safe charging
- Best-selling product is widely used in education, industry, and public sectors
- 120W 10 Port and 160W 6 Port versions also available



120W, 10 Port



160W, 6 Port




96W, 10 Port

|                                   |           |
|-----------------------------------|-----------|
| 96W 10 Port USB Charging Station  | No. 73309 |
| 120W 10 Port USB Charging Station | No. 73435 |
| 160W 6 Port USB Charging Station  | No. 73436 |

USB TYPE A



USB TYPE C



## USB TYPE A & USB TYPE C PORT BLOCKERS

Lindy Port Blockers offer simple, effective physical security for USB-A, C and Thunderbolt ports—protecting laptops, tablets, docks, and AV gear from unauthorised access, data theft, and accidental insertions. With a colour-coded key system, it's easy to deploy, manage, and remove—no software or training required.

Keys and locks are available separately.

WATCH THE VIDEO here:



### AVAILABLE COLOURS

PINK



GREEN



BLUE



ORANGE



WHITE




#### USB TYPE A

|                                |           |
|--------------------------------|-----------|
| Pack of 4 Locks & Key - Pink   | No. 40450 |
| Pack of 4 Locks & Key - Green  | No. 40451 |
| Pack of 4 Locks & Key - Blue   | No. 40452 |
| Pack of 4 Locks & Key - Orange | No. 40453 |
| Pack of 4 Locks & Key - White  | No. 40454 |


#### USB TYPE C

|                                |           |
|--------------------------------|-----------|
| Pack of 4 Locks & Key - Pink   | No. 40425 |
| Pack of 4 Locks & Key - Green  | No. 40426 |
| Pack of 4 Locks & Key - Blue   | No. 40465 |
| Pack of 4 Locks & Key - Orange | No. 40428 |
| Pack of 4 Locks & Key - White  | No. 40427 |


## HOW THEY WORK



1. A lock is attached to the key and inserted into a USB Type C port.



2. The sliding mechanism on the key is then released leaving the lock in place.



3. To remove the lock the key is inserted into the lock and pulled back. Simple!

# WHERE OTHERS STOP WE GO FURTHER

## LINDY USB-C

Engineered for high-speed data, with durable fibre optic and active cables supporting up to 100W charging and 8K video.

Built to go the distance with premium construction for unbeatable reliability.

From laptops to signage systems, it's the professional's choice for seamless USB-C connectivity.

### USB-C Cables

|                                                |           |
|------------------------------------------------|-----------|
| 3m USB 3.2 Gen 2 C/C Active Cable              | No. 43348 |
| 5m USB 3.2 Gen 2 C/C Active Cable              | No. 43308 |
| 8m USB 3.2 Gen 1 & DP 1.4 Type C Hybrid Cable  | No. 43393 |
| 10m USB 3.2 Gen 1 & DP 1.4 Type C Hybrid Cable | No. 43333 |
| 10m USB 3.2 Gen 2 & DP 1.4 Type C Hybrid Cable | No. 43398 |
| 15m USB 3.2 Gen 2 & DP 1.4 Type C Hybrid Cable | No. 43399 |



**USB TYPE-C TO  
VGA CONVERTER**
**1080p**


- Converts a USB Type C port to a VGA port
- Supports VGA resolutions up to 1080p
- Requires DisplayPort™ Alternate Mode support by the USB Port/Bus

No. 43355

**DISPLAYPORT™ 1.2 TO  
HDMI® 2.0 18G ACTIVE CONVERTER**
**4K**


- Connects a DisplayPort™ computer to an HDMI® 4K display
- Supports resolutions up to 4K60
- Audio pass-through if supported by the video source

No. 41068

**MINI DISPLAYPORT™ 1.2 TO  
HDMI® 2.0 18G ACTIVE CONVERTER**
**4K**


- Connects a Mini DisplayPort™ computer to an HDMI® 4K display
- Supports resolutions up to 4K60
- Audio pass-through if supported by the video source

No. 41069

**USB TYPE C TO  
HDMI® 4K60 CONVERTER**
**4K**


- Converts a USB Type C port to an HDMI® port
- Supports HDMI® resolutions up to 4K60
- Requires DisplayPort™ Alternate Mode support by the USB Port/Bus

No. 43339

**HDMI® 4K60 TO  
DISPLAYPORT™ 1.2 CONVERTER**
**4K**


- Connects an HDMI® source to a DP display
- Supports resolutions up to 4K60 UHD
- Includes USB cable for power supply

No. 38327

**USB TYPE C TO  
DISPLAYPORT™ 8K60 CONVERTER**
**8K**


- Converts a USB Type C port to an 8K capable DisplayPort™ connection
- Supports resolutions up to 8K60 and 4K120
- Requires DisplayPort™ 1.4 Alternate Mode support by the USB Port/Bus

No. 43337

**DISPLAYPORT™ TO  
HDMI® ACTIVE 8K60 CONVERTER**
**8K**


- Connects a DisplayPort™ 1.4 source to an HDMI® 8K60 Display
- Supports resolutions up to 8K60 and 4K120
- Audio pass-through if supported by the video source

No. 41095

# DIFFERENTIATE YOUR NETWORK WITH A RANGE OF COLOURS

Network cables discreetly facilitate data transmission and foster communication among a variety of devices, often operating in the background as the overlooked champions of our interconnected world.

Lindy Ethernet cables play a pivotal role in networking, audio-visual setups, and countless other applications.

Whether you're plugging in your computer to access the internet or ensuring data flows seamlessly between servers in a data centre, patch cables are the dependable links that bridge the gap and keep our digital world running smoothly.

**ROHS**  
COMPLIANT

**REACH**  
COMPLIANT

**UL**  
COMPLIANT  
CERTIFIED

**ISO/  
IEC 11801**  
COMPLIANT







## WHY YOU NEED THEM

**PROVIDE** endless varieties. Lindy network cables are available in 9 different colours and lengths ranging from 0.3m to 100m

**EQUIPPED** with a connector designed to safeguard the latch and featuring gold-plated contacts

**FEATURE** S/FTP and U/UTP network cables that support bandwidths of up to 250MHz and 600MHz, respectively

**ENSURE** reliability with fully QC tested cables that are RoHS, REACH, and UL compliance certified, all supported by a 10-year warranty


 Snagless clip prevents  
cable damage

### 4 PORT HDMI® 18G SPLITTER

- Splits a single HDMI® 2.0 source across 4 HDMI® displays
- Supports resolutions up to 4K60, with additional support for HDR
- HDCP 2.2 support for enhanced compatibility


**4K**

No. 38236

### HDMI® 4 PORT MULTI-VIEW SWITCH

- Integrates 4 Full HD 1080p signals for display on a single HDMI® display
- Supports 4 viewing modes; Quad View, Picture & Picture, Dual Video and Standard
- Seamless switching between inputs/viewing modes
- Independent switching of audio and video signals


**1080p**

No. 38150

### 4 PORT HDMI® 18G SWITCH WITH AUDIO

- Switches between 4 HDMI® 2.0 source devices connected to a single HDMI® 2.0 display
- Supports resolutions up to 4K60, with additional support for HDR
- Extracts digital and analogue audio from the HDMI® source device


**4K**

No. 38249

### 2 PORT DUAL HEAD HDMI® 4K60, USB 3.0 KVM SWITCH

- Controls two HDMI® equipped PCs from a single console with keyboard, mouse and two monitors
- Dual Head support with 2 modes, single and dual PC mode
- Supports HDMI® 18G resolutions up to 4K60 4:4:4 with HDR


**4K**

No. 39314

### 2 PORT HDMI® 8K60 SWITCH

- Switches between 2 HDMI® source devices when connected to a single display
- Supports 48G resolutions up to 8K60, with additional support for HDR
- Flexible control via push button, IR remote


**8K**

No. 38337

### 4X4 USB 3.2 GEN 1 MATRIX SWITCH

- Supports USB 3.2 Gen 1 (USB 3.0) and backward compatibility with USB 2.0/1.1
- Switching between computers with buttons, TCP/IP with web GUI or RS-232 commands
- Matrix switch with presets function


**480Mbps**

No. 43406

### 7 PORT USB 2.0 METAL HUB

- Provides 7 USB 2.0 High Speed ports with data rates up to 480Mbps
- Hard-wearing USB Hub - Perfect for industrial applications
- Robust metal housing with high EMC protection and integrated brackets for mounting


**480Mbps**

No. 42794

### 4 PORT 10m USB 3.0 HUB

- High performance hub with active cable that provides an extended 10m connection between a computer and up to 4 USB devices
- Connects 2 USB Type A and 2 Type C peripherals to a computer's USB Type A Port
- Supports the USB 3.2 / 3.1 Gen 1 / USB 3.0 SuperSpeed bandwidth for speeds of 5Gbps


**5Gbps**

No. 43389

### 7 PORT USB 3.0 METAL HUB

- Provides 7 USB 3.0 SuperSpeed ports with data rates up to 5Gbps
- Hard-wearing USB Hub - Perfect for industrial applications
- Robust metal housing with high EMC protection and integrated brackets for mounting


**5Gbps**

No. 43128

### 7 PORT USB 3.0 HUB

- Allows 7 USB 3.0 devices to be connected to a single USB port on a PC or Mac
- All 7 ports support USB BC 1.2, providing 5V/1.5A per port for faster charging
- 36W of power available for devices with large power requirements


**5Gbps**

No. 43228

### USB 3.2 TYPE C HUB & GIGABIT ETHERNET CONVERTER

- Connects a USB 3.2 Type C computer to a Gigabit Ethernet network
- Provides three USB 3.2 / 3.1 Gen 1 / 3.0 Type A ports
- Supports 10/100/1000BASE-T, full and half duplex mode


**5Gbps**

No. 43249

### 4 PORT USB 3.2 TYPE C HUB

- Connects 4 Type A USB peripherals to a Type C Port
- Supports SuperSpeed data rates of up to 5Gbps
- Handy and stylish design with integrated cable


**5Gbps**

No. 43325

### 50m CAT.6 HDMI® 4K60 & IR EXTENDER WITH POC & LOOP OUT

- Extends 4K HDMI® 18G signals over 50m distances with standard network cable
- Supports resolutions up to 4K60, with support for HDR
- An HDMI® loop-through output creates an additional viewing zone with a local display



4K

No. 38205

### 70m CAT.6 HDMI® 4K30, IR & RS-232 HDBaseT EXTENDER WITH POC

- Distributes HDMI® resolutions up to 70m over Cat.6 network cable via HDBaseT technology
- Supports HDMI® 10.2G resolutions up to 4K30
- CEC pass-through and bi-directional IR for simple control



4K

No. 38139

### 150m CAT.6 HDMI® 4K60 & TYPE C HDBaseT UK WALL PLATE KVM EXTENDER, TRANSMITTER



- Sends HDMI® or Type C signals up to 150m over Cat.6 network cable via HDBaseT technology with Long Reach mode
- Supports HDMI® 18G resolutions up to 4K60, with additional support for HDR
- Supports USB 2.0, Audio, RS-232, bidirectional IR and PoC (Power over Cable)

4K

No. 38387

### 70m CAT.6 HDMI® 4K30 & IR EXTENDER WITH POC & LOOP OUT

- Extends HDMI® & IR Signals up to 70m using a single Cat.6 Cable
- Supports resolutions up to 4K30
- Features a loop-through HDMI® output on the Transmitter for local monitoring



4K

No. 38208

### 150M CAT.6 4X4 HDMI® 4K60 HDBaseT MATRIX EXTENDER

- HDBaseT Matrix Extender that extends and distributes HDMI®, IR & RS-232 signals to 4 displays at distances of up to 150m
- Supports resolutions up to 4K60Hz with HDR
- Features loop-through HDMI® outputs for local monitoring
- Supports Power over Cable (PoC), EDID management, downscaler and audio de-embedding functions

4K

No. 38345



### 50m USB 2.0 CAT.6 EXTENDER, WITH PoC, INDUSTRIAL

- Features (PoC) Power over Cable to power a device at the remote end (power supply included)
- Transmitter: USB Type A Male [A to B cable included]
- Receiver: USB Type A Female



### 50m 2 PORT USB 2.0 CAT.6 EXTENDER, WITH PoC, INDUSTRIAL

- Built-in hub extends 2 USB 2.0 devices
- Features bidirectional (PoC) to power a device from the transmitter or at the remote end (power supply included)
- Transmitter: USB Type A Male [A to B cable included]
- Receiver: 2x USB Type A Female



### 100m CAT.6A 2 HOST USB 3.2 GEN 1 HDBaseT EXTENDER

- Extends USB 3.2 Gen 1 signals from 2 hosts up to 100m using Cat.6A network cable (not included)
- (PoC) Power over Cable requires a single power supply to be connected to the transmitter or receiver only
- Supports USB 3.2 Gen 1 (USB 3.0) up to 5Gbps, USB 2.0/1.1 backwards compatibility, RS232, APIs and FSYNC pass-through ports

**5Gbps**

No. 43421



## SMALL LOCKS BIG PROTECTION RJ45 PORT BLOCKERS

Available in Black, Green, Orange, and Yellow for differentiated access control. Additional keys and blocker packs are also available.

**PHYSICAL PROTECTION &  
VISIBLE DETERRENT**

# IPOWER SWITCH CLASSIC 8

## REMOTE POWER MANAGEMENT FOR UP TO 8 DEVICES



### LOCAL POWER. GLOBAL CONTROL.

The Lindy IPower Switch Classic 8 is the remote power management solution for seamlessly controlling the power status of 8 connected devices.

Control from anywhere in the world with your laptop and an internet connection! Now, system administrators can easily monitor and switch power to servers, workstations, hubs, routers and much more! The essential tool for remote troubleshooting and maintenance.

### THE POWER TO PERFORM. ANYWHERE.



Power control of your devices from anywhere in the world with an internet connection



Reboot, switch on and off, monitor power consumption and status



IEC 320 C20 mains power input port



8x IEC C13 mains power output

**13A/16A**

For use with a 13A or 16A circuit  
- 2400W, 240V 10A per port  
- Total switched power of 3120W



No. 73560

### 4 PORT IPOWER SWITCH PDU

- Remote power management switch for up to 4 devices
- Control via intuitive web GUI, RS232 and API commands
- Individual power control and monitoring (voltage, current and consumption)



No. 32622

### 8 PORT IPOWER SWITCH PDU

- Remote power management switch for up to 8 devices
- Control via intuitive web GUI, RS232 and API commands with 2 sensors ports
- Individual power control and monitoring (voltage, current and consumption)



No. 32623

**4K30 HDMI® & USB OVER IP EXTENDER SYSTEM**

The Lindy 4K30 HDMI® & USB over IP system is a powerful solution for creating a wide range of bespoke, distributed AV and KVM installations. The system comprises Encoder and Decoder modules, and a separate Controller module. All modules are sold separately so you can build and scale according to your requirements.

The system allows one HDMI® source to connect to an Encoder module, and one HDMI® display to connect to a Decoder module. Multiple Encoders and Decoders can be combined for various multicast distribution options. The Controller manages the full installation.

Remote KVM control of any connected PCs is supported and users can also create video wall and matrix installations by combining multiple Decoders and their connected displays.



|                                            |           |
|--------------------------------------------|-----------|
| 4K30 HDMI® & USB over IP System Controller | No. 38395 |
| 4K30 HDMI® & USB over IP System Encoder    | No. 38396 |
| 4K30 HDMI® & USB over IP system Decoder    | No. 38397 |

**HDMI® & IR OVER IP SYSTEM**

- Extends HDMI® and IR signals over an IP network
- Supports resolutions up to 1080p Full HD
- Allows point-to-point or multipoint configurations
- Requires a Gigabit Ethernet network for optimal performance
- Features PoE (Power over Ethernet) for simplified installation
- Compatible with existing network infrastructure
- Additional receiver modules available



**1080P**

|                           |           |
|---------------------------|-----------|
| HDMI® & IR Over IP System | No. 38398 |
| Additional Receiver       | No. 38399 |



**SMALL LOCKS  
BIG PROTECTION  
SFP PORT BLOCKERS**

Additional keys and blocker packs are also available.

**PHYSICAL PROTECTION & VISIBLE DETERRENT**



# ADVANTAGE LINDY

## USB EXTENSION REIMAGINED

### 100m USB 3.2 GEN 1 CAT.6A HDBaseT EXTENDER

**Struggling with distance limitations in your USB setup?**

The Lindy USB 3.2 Gen 1 Cat.6A HDBaseT Extender eliminates connectivity barriers, extending four USB connections up to 100m while delivering class-leading performance. Designed for professional AV applications—including live events, broadcast, digital signage, education and control systems—this powerful extender ensures seamless data transfer, precise device control, and reliable power delivery across extended distances.



**100** metres



**5Gbps**

No. 43410

# CLEAR SOUND. CLEAR MINDS.

**LINDY**  
CONNECTION PERFECTION

## LINDY HEADPHONES & HEADSETS

For teachers and pupils, the L118 Wireless Headset delivers clear communication, all-day comfort, and cordless mobility—perfect for on-line lessons, video calls, and remote learning. With simple docking and dependable performance, Lindy helps education stay focused, connected, and inspired.



L118 Wireless Headset

No. 20450

## LINDY AT A GLANCE

More than

**200**

employees

**90**

countries

**20000**

products

**1**

brand

Established in 1932, Lindy is one of Europe's leading suppliers of cables & connectivity solutions.

With a comprehensive and innovative product portfolio, Lindy offers installers, system integrators and resellers the ultimate resource for cables and connection technologies.

Covering the complete range of IT & AV connectivity requirements, with full pre- and post-sales technical support, unbeatable customer service and expertise, Lindy is your ideal partner for connecting, sharing, converting and extending a wide array of digital and analogue signals.

DISCOVER **LINDY**  
[lindy.com](https://lindy.com)